

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	217	(online internet web) near30 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L2	165	(online internet web) near5 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L3	41	((online internet web) near5 (dating)) same (profile preference associate link)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L4	43795	(online internet web) same (community group)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L5	30	((online internet web) near5 (dating)) same (profile preference associate link)) and (block prevent lock ban bar)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L6	5741	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L7	711	((online internet web) same (community group)) same (refer introduce link associate)) same (block prevent lock ban bar authenticate password)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L8	6	((online internet web) same (community group)) same (refer introduce link associate)) same (block prevent lock ban bar authenticate password)) and ((online internet web) near30 (dating))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L9	278649	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L10	51	ndmp	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L11	34	(san or (storage adj area adj network)) and ndmp	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L12	10	((san or (storage adj area adj network)) and ndmp) and library	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01

L13	11958	library same manag\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L14	469	(library same manag\$5) same (device same host)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L15	19	((library same manag\$5) same (device same host)) same query	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L16	48062	wireless near2 device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L17	1644073	pda mobile cell	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L18	30520	(wireless near2 device) and (pda mobile cell)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L19	49253	(pda mobile cell) near100 (configure activate initialize setup authorize)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L20	50086	((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L21	1912	activate near2 feature	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L22	167	((((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)) and (activate near2 feature))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L23	66	(((((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)) and (activate near2 feature)) and (server))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L24	83747	network near30 rout\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L25	16213	application adj layer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01

L26	716	((network near30 rout\$3) same (application adj layer)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L27	822	routing adj option	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L28	3	((network near30 rout\$3) same (application adj layer)) and (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L29	2253	content near4 routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L30	42	((network near30 rout\$3) same (application adj layer)) and (content near4 routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L31	12	((((network near30 rout\$3) same (application adj layer)) and (content near4 routing))) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L32	13995	(jpg htm pdf mime) and "9"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L33	13995	(jpg htm pdf mime) and ((jpg htm pdf mime) and "9")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L34	0	(jpg htm pdf mime) same ((network near30 rout\$3) same (application adj layer))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L35	0	(ascii same binary) same (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L36	0	((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))) and ((ascii same binary) and (routing adj option))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L37	3	((((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))) (ascii same binary) and (routing adj option))) and (content near4 routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L38	2	(jpg htm pdf mime) and (((network near30 rout\$3) same (application adj layer)) and (content near4 routing)) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01

L39	32	((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L40	26	(ascii same binary) and (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L41	9	(routing adj option) and ((content data file) near4 (type size) near10 (mime jpeg jpg htm html))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L42	148	content adj based adj routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L43	24	(content adj based adj routing) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L44	1	((content adj based adj routing) and @ad<"20000605") and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L45	9	(content adj based adj routing) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L46	0	(routing adj option) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L47	32	(application adj layer) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L48	19	(application adj layer) same (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L49	0	("6347087" "6016388").pn. and cach\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L50	4	("6347087" "6016388").pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L51	0	caching near2 protocol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01

L52	291	caching near2 protocol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L53	3	(caching near2 protocol) same (satellite)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L54	47	(caching near2 protocol) same rout\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L55	19	((caching near2 protocol) same rout\$3) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L56	2	((((caching near2 protocol) same rout\$3) and satellite) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L57	12	((caching near2 protocol) same rout\$3) and (content near routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L58	0	((("6347087" "6016388").pn.) and mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L59	2	routing near5 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L60	7	rout\$3 near15 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L61	83	rout\$3 near15 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L62	43	(rout\$3 near15 mime) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L63	0	("6347087" "6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L64	0	("6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01

L65	0	("6343313").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L66	0	("5586121").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L67	15	(url near5 suffix) same rout\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L68	2	"6377986".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L69	4	("6205481" "6347087").pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L70	217	(online internet web) near30 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L71	165	(online internet web) near5 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L72	43795	(online internet web) same (community group)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L73	30	((online internet web) near5 (dating)) same (profile preference associate link)) and (block prevent lock ban bar)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L74	5741	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L75	711	((online internet web) same (community group)) same (refer introduce link associate)) same (block prevent lock ban bar authenticate password)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L76	278649	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L77	51	ndmp	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01

L78	11958	library same manag\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L79	469	(library same manag\$5) same (device same host)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L80	48062	wireless near2 device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L81	1644073	pda mobile cell	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L82	30520	(wireless near2 device) and (pda mobile cell)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L83	49253	(pda mobile cell) near100 (configure activate initialize setup authorize)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L84	50086	((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L85	1912	activate near2 feature	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L86	167	((((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)) and (activate near2 feature)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L87	83747	network near30 rout\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L88	16213	application adj layer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L89	716	(network near30 rout\$3) same (application adj layer)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L90	822	routing adj option	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01

L91	2253	content near4 routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L92	42	((network near30 rout\$3) same (application adj layer)) and (content near4 routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L93	13995	(jpg htm pdf mime) and "9"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L94	13995	(jpg htm pdf mime) and ((jpg htm pdf mime) and "9")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L95	0	(jpg htm pdf mime) same ((network near30 rout\$3) same (application adj layer))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L96	0	(ascii same binary) same (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L97	0	((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))) and ((ascii same binary) and (routing adj option))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L98	148	content adj based adj routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L99	0	(routing adj option) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L100	32	(application adj layer) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L101	0	("6347087" "6016388").pn. and cach\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L102	4	("6347087" "6016388").pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L103	0	caching near2 protocol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01

L104	291	cached near2 protocol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L105	3	(cached near2 protocol) same (satellite)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L106	47	(cached near2 protocol) same rout\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L107	19	((cached near2 protocol) same rout\$3) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L108	0	((("6347087" "6016388").pn.) and mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L109	2	routing near5 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L110	83	rout\$3 near15 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L111	0	("6347087" "6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L112	0	("6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L113	0	("6343313").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L114	0	("5586121").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L115	1	((content adj based adj routing) and @ad<"20000605") and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L116	41	((online internet web) near5 (dating)) same (profile preference associate link)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01

L117	6	(((online internet web) same (community group)) same (refer introduce link associate)) same (block prevent lock ban bar authenticate password)) and ((online internet web) near30 (dating))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L118	34	(san or (storage adj area adj network)) and ndmp	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L119	10	((san or (storage adj area adj network)) and ndmp) and library	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L120	19	((library same manag\$5) same (device same host)) same query	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L121	66	(((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)) and (activate near2 feature)) and (server)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L122	3	((network near30 rout\$3) same (application adj layer)) and (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L123	12	(((network near30 rout\$3) same (application adj layer)) and (content near4 routing)) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L124	3	((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))) ((ascii same binary) and (routing adj option))) and (content near4 routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L125	2	(jpg htm pdf mime) and (((network near30 rout\$3) same (application adj layer)) and (content near4 routing)) and @ad<"20000605")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L126	32	(jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L127	26	(ascii same binary) and (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L128	9	(routing adj option) and ((content data file) near4 (type size) near10 (mime jpeg jpg htm html))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L129	24	(content adj based adj routing) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01

L130	9	(content adj based adj routing) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L131	19	(application adj layer) same (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L132	2	((((caching near2 protocol) same rout\$3) and satellite) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L133	12	((caching near2: protocol) same rout\$3) and (content near routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L134	7	rout\$3 near15 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L135	43	(rout\$3 near15 mime) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L136	15	(url near5 suffix) same rout\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L137	2	"6377986".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L138	1	"6240461".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/07/25 07:01
L139	217	(online internet web) near30 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L140	165	(online internet web) near5 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L141	43795	(online internet web) same (community group)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L142	30	((((online internet web) near5 (dating)) same (profile preference associate link)) and (block prevent lock ban bar)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01

L143	5741	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L144	711	((online internet web) same (community group)) same (refer introduce link associate)) same (block prevent lock ban bar authenticate password)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L145	278649	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 07:01
L146	3	("6347087" "6205481" "6016388").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/07/25 07:05
L147	0	146 and (rout\$4 near10 (size))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/07/25 07:14
L148	102	(application adj layer) same (rout\$4 near10 (size load traffic))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/07/25 07:06
L149	24	148 and @ad<"20000608"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/07/25 07:07
L150	2	146 and (load)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/07/25 07:17
L151	2	146 and size	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/07/25 07:17